

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claim 1 (currently amended): A method for forming a hollow composite material part having one or more selectively positioned core, structural insert, or veneer pieces integrally associated therewith, wherein the composite part defines a first shape, and wherein the method comprises at least the following steps:

providing a dissolvable solid mandrel having an exterior surface and a second shape that is substantially the same as but sized smaller than the first shape of the composite material part, wherein the mandrel has one or more selectively positioned recesses that are complementary to the one or more core, structural insert, or veneer pieces;

forming an elastic layer about the mandrel to define an elastic bladder;

applying a vacuum in between the bladder and the mandrel to thereby force and conform the bladder against the exterior surface of the mandrel;

applying a resin and a fiber material about the bladder, and positioning at least one of the one or more core, structural insert, or veneer pieces adjacent and proximate to one of the one or more selectively positioned recesses to define an uncured part;

placing the uncured part into a split mold, wherein the split mold has an interior surface and a third shape that is substantially the same as the first shape of the composite material part;

applying a fluid or gas pressure in between the mandrel and the uncured part to thereby force and conform the uncured part against the interior surface of the split mold;

heating the split mold to a temperature and for a period of time sufficient to cure the resin to thereby define the composite material part;

liquefying and removing the mandrel from within the composite material part; and

optionally removing the bladder from within the composite material part.

Claim 2 (previously presented): The method of claim 1 wherein the one or more core pieces is made from a honeycomb material.

Claim 3 (previously presented): The method of claim 1 wherein the one or more structural insert pieces is made from a metal or a plastic.

Claim 4 (previously presented): The method of claim 1 wherein the one or more veneer pieces is made from a wood.

Claim 5 (currently amended): The method of claim 1 wherein the dissolvable mandrel is made of a wax or a foamed material.

Claim 6 (previously presented): The method of claim 1 wherein the bladder is made from a silicone rubber material.

Claim 7 (previously presented): The method of claim 1 wherein the resin is selected from one or more of a polyester resin, a vinyl ester resin, an epoxy resin, and a phenolic resin.

Claim 8 (previously presented): The method of claim 1 wherein the fiber material is selected from one or more of a glass fiber material and a carbon fiber material.

Claim 9 (canceled).

Claim 10 (previously presented): The method of claim 1 wherein the applied fluid or gas pressure ranges from about 50 psi to about 150 psi.

Claim 11 (currently amended): The method of claim 1 wherein the temperature of the heated split mold ranges from about room temperature to about 400°F.

Claim 12 (previously presented): The method of claim 1 wherein the period of time sufficient to cure the resin ranges from about 30 minutes to about 4 hours.

Claim 13 (previously presented): The method of claim 1, further comprising the step of applying a second vacuum in between the uncured part and the interior surface of the mold.

Claims 14-19 (cancelled).